


ICU BED ELECTRIC



EI - 1195


Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset].
2. Four Pieces individual Side-rails, ABS Moulded.
3. ABS Moulded Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made up of perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Central Locking Castors, Durable and quiet.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H mm.
12. With central locking system.
13. Positions Obtained by Hand Remote.
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation


Optional

 4 Section Mattress (EI - 7005C)

ICU BED ELECTRIC



EI - 1190


Description

1. Advance linear actuator system [04 Pcs Motor, 01 Pc Control box, 01 Pcs Handset].
2. Four Pieces individual Side-rails, ABS Moulded.
3. ABS Moulded Head and Foot Panel with locking and corner buffer.
4. Framework Made-up of M.S. Tubes.
5. 4 section top made up of perforated CRCA M.S. Sheet.
6. Bed Mounted on 5" Castors, 2 with brakes.
7. S.S. Telescopic I.V. Rod with 4 Location.
8. Holder for Urine Bag.
9. Sitting position adjustable.
10. Finish: Pretreated & Epoxy Powder Coated.
11. Overall Approx. Size: 2090L x 910W x 460-700H mm.
12. Positions Obtained by Hand Remote.
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation


Optional

 4 Section Mattress (EI - 7005C)

ICU BED MECHANICAL



EI - 1165


Description

1. Four Pieces individual Side-rails, ABS Moulded.
2. ABS Moulded Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S. Tubes.
4. 4 section top made-up of perforated CRCA M.S. Sheet.
5. Bed Mounted on 5" Castors, 2 with brakes.
6. S.S. Telescopic I.V. Rod with 4 Location.
7. Holder for Urine Bag.
8. Finish: Pretreated & Epoxy Powder Coated.
9. Overall Approx. Size: 2090L x 910W x 625-820H mm.
10. Positions Obtained by Smooth Crank system with foldable handle.
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation
 - Trendlenburg / Reverse Trendlenburg

Optional

 4 Section Mattress (EI - 7005C)



EI - 7053

5" Castor Deluxe

ICU BED MECHANICAL



EI - 1155


Description

1. Two Pieces individual collapsible Side-rails.
2. ABS Moulded Head and Foot Panel with locking and corner buffer.
3. Framework Made-up of M.S. Tubes.
4. 4 section top made-up of perforated CRCA M.S. Sheet.
5. Bed Mounted on 5" Castors, 2 with brakes.
6. S.S. Telescopic I.V. Rod with 4 Location.
7. Holder for Urine Bag.
8. Finish: Pretreated & Epoxy Powder Coated.
9. Overall Approx. Size: 2010L x 910W x 625-820H mm.
10. Positions Obtained by Smooth Crank system with foldable handle
 - Hi-Low
 - Backrest elevation
 - Kneerest elevation
 - Trendlenburg / Reverse Trendlenburg

Optional

 4 Section Mattress (EI - 7005C)



EI - 7050

5" Castor Moulded

HOSPITAL FOWLER BED



EI - 1153



Description

- Four Pieces individual Side-rails, ABS Molded.
- ABS Molded Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with brakes.
- Four Location for I.V. Rod.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2010L x 910W x 600H mm.
- Positions Obtained by Smooth crank system with foldable handle
 - Backrest elevation
 - Kneerest elevation

Optional

4 Section Mattress (EI - 7005C)
S.S. Telescopic I.V. Rod (EI - 7042)
Collapsible Railing (EI - 7029)

EI - 7035


ABS Railing



HOSPITAL FOWLER BED



EI - 1149



Description


- Heavy ABS Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with brakes.
- Four Location for I.V. Rod.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2010L x 910W x 600H mm.
- Positions Obtained by Smooth crank system with foldable handle
 - Backrest elevation
 - Kneerest elevation

Optional

4 Section Mattress (EI - 7005C)
S.S. Telescopic I.V. Rod (EI - 7042)
Collapsible Railing (EI - 7029)

EI - 7023A

S.S. Railing




Also available in M.S. (EI - 7023)

HOSPITAL FOWLER BED



EI - 1144



Description


- Stainless Steel Head and Foot Panel with Laminated board.
- Framework Made-up of M.S. Tubes.
- 4 section top made-up of perforated CRCA M.S. Sheet.
- Bed Mounted on 4" Castors, 2 with brakes.
- Four Location for I.V. Rod.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2010L x 910W x 600H mm.
- Positions Obtained by Smooth crank system with foldable handle
 - Backrest elevation
 - Kneerest elevation

Optional

4 Section Mattress (EI - 7005C)
S.S. Telescopic I.V. Rod (EI - 7042)
Collapsible Railing (EI - 7029)

EI - 7029

Collapsible Railing




Also Available in S.S. Tubes (EI - 7029A)

HOSPITAL SEMI-FOWLER BED



EI - 1142



Description

- ABS Molded Head and Foot Panel with locking.
- Framework Made-up of M.S. Tubes.
- 2 section top made-up of perforated CRCA M.S. Sheet.
- Legs fitted with PVC Stumps.
- Four Location for I.V. Rod.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 2010L x 910W x 600H mm.
- Positions Obtained by Smooth crank system with foldable handle
 - Backrest elevation

Optional

2 Section Mattress (EI - 7005B)
S.S. Telescopic I.V. Rod (EI - 7042)
Collapsible Railing (EI - 7029)




EI - 7042

I.V. Rod for Hospital Bed

HOSPITAL SEMI-FOWLER BED



EI - 1135


Description

1. Stainless Steel Head and Foot Panel with Laminated board.
2. Framework Made-up of M.S. Tubes.
3. 2 section top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2010L x 910W x 600H mm.
8. Positions Obtained by Smooth crank system with foldable handle.
 - Backrest elevation


Optional

- 2 Section Mattress (EI - 7005B)
- S.S. Telescopic I.V. Rod (EI - 7042)
- Collapsible Railing (EI - 7029)

HOSPITAL SEMI-FOWLER BED



EI - 1125


Description

1. Tubular Head and Foot Bows with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. 2 section top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 2010L x 910W x 600H mm.
8. Positions Obtained by Smooth crank system with foldable handle
 - Backrest elevation


Optional

- 2 Section Mattress (EI - 7005B)
- S.S. Telescopic I.V. Rod (EI - 7042)
- Collapsible Railing (EI - 7029)

HOSPITAL BED DELUXE



EI - 1115


Description

1. Tubular Head and Foot Bows with vertical tube support.
2. Framework Made-up of M.S. Tubes.
3. Top made-up of perforated CRCA M.S. Sheet.
4. Legs fitted with PVC Stumps.
5. Four Location for I.V. Rod.
6. Finish: Pretreated & Epoxy Powder Coated.
7. Overall Approx. Size: 1880L x 910W x 600H mm.

ATTENDANT BED



EI - 1118

Description

- Overall size: 180L x 60W x 46H cms.
- Framework Made-up of Rectangular / Square M.S. Tubes.
- Legs fitted with PVC Stumps.
- Finish: Pretreated & Epoxy Powder Coated.


MATTRESS FOR HOSPITAL BEDS



A-Single Mattress for plain beds.



B-Two section mattress for Semi-Fowler beds.



C-Four section mattress for Fowler/I.C.U. Beds.

ANTI-DECUBITUS MATTRESS (LATTICE STYLE)



EI - 7015

Features

This air mattress is specially made for short-term patients. It is simple in structure, easy in operation and is better in prevention and cure of bed sores.

EI - 7005

10cms thick, 32 density foam mattress covered with rexine, closed with zip at one end.

PATIENT'S OPD COUCH/CHAIR


EI - 1120

Description

- Overall size: 190L x 62W x 58H cms.
- Framework Made-up of Rectangular M.S. Tubes.
- The fabric is pressed artificial leather.
- Legs fitted with PVC Stumps.
- Finish: Pretreated & Epoxy Powder Coated.

PEDIATRIC BED


EI - 1123

Description

- Tubular Head and Foot Bows with vertical tube support.
- Framework Made-up of M.S. Tubes.
- Top made-up of perforated CRCA M.S. Sheet.
- Legs fitted with PVC Stumps.
- Four Location for I.V. Rod.
- Full length drop side rails on both sides.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Approx. Size: 1480L x 840W x 600H mm.
- Bed frame approx size: 1370L x 760W mm.

Optional

- Plain Mattress (EI - 7005A)
- S.S. Telescopic I.V. Rod (EI - 7042)

BED SIDE LOCKER (STD.)


EI - 1315

Description

- Overall Size: 405L x 405W x 810H mm.
- Jointless S.S. Top with three sides raise edges
- One Box with door made of M.S. sheet
- Four M.S. legs fitted with PVC stumps
- Finish: Pretreated and Epoxy Powder coated

BED SIDE LOCKER (DX.)


EI - 1330

Description

- Overall Size: 16'L x 16'W x 32'H
- CRCA sheet constructions Having one Box and one drawer
- Jointless S.S. Top with three Sides raise edges
- Finish: Pretreated and Epoxy Powder coated

BED SIDE LOCKER (ABS)


EI - 1375

Description

- Overall Size: 450L x 450W x 760H mm.
- One drawer
- One towel rail
- Four 50mm castors

I.V. STAND

EI - 1480

Description

- Pentagon base fitted with 5 cms castors
- 12mm S.S. adjustable I.V. Rod with double hook

Available models

- (A) S.S. Pipe with plastic base
- (B) M.S. Pipe with plastic base
- (C) S.S. Pipe with S.S. base
- (D) M.S. Pipe with M.S. base
- (E) M.S. Pipe with M.S. base



BED SIDE SCREEN (3 PANELS)


EI - 1715A

Description

- Overall Size: 1680H x 2190L mm.
- S.S. Tubular frame work made of 19mm x 18G in Three section
- Legs made of 25mm x 18G mounted on 5 cms castors with hooks and spring along-with curtains
- Each span 610mm wide
- Finish: Pre-treated and Epoxy Powder Coated

Also Available in M.S. (EI - 1715)

BED SIDE SCREEN (4 PANELS)


EI - 1718

Description

- Overall Size: 1680H x 2190L mm.
- M.S. Tubular frame work made of 19mm x 18G in Four section
- Legs made of 25mm x 18G mounted on 5cms castors with hooks and spring along-with curtains
- Each span 610mm wide
- Finish: Pre-treated and Epoxy Powder Coated

Also Available in S.S. (Model No. EI - 1718A)

CARDIAC TABLE
(PNEUMATICALLY ADJUSTABLE)

EI - 1543
Description

- Rectangular frame work mounted on 5 cms castors
- ABS top adjustable by gear handle
- Finish : Pre-treated and Epoxy Powder Coated

 CARDIAC TABLE
(BY KNOB ADJUSTABLE)

EI - 1538
Description

- Rectangular frame work mounted on 5cms castors
- Membrane press wooden top adjustable by side knob
- Finish : Pre-treated and Epoxy Powder Coated


 WASH BASIN STAND (DOUBLE)
EI - 1615A

Description

- Five Legs base mounted on 5cms dia castors
- With Two approx. 35cms S.S. Basin
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish : Stainless Steel frame with Stainless Steel Basin

Optional

- Also available in Epoxy Powder Coated frame (EI - 1615)

 CARDIAC TABLE
(GEAR HANDLE ADJUSTABLE)

EI - 1540
Description


- Rectangular frame work mounted on 5 cms castors
- ABS top adjustable by gear handle
- Finish : Pre-treated and Epoxy Powder Coated



CARDIAC TABLE (FIXED)

EI - 1539
Description

- Overall size: 42" L x 16 x 39" H
- Tubular frame work mounted on 5cms castors
- Fixed membrane press wooden laminated top
- Finish: Pre-treated and epoxy powder coated


 WASH BASIN STAND (SINGLE)
EI - 1610A

KICK BUCKET
EI - 1630
Description

- Five Legs base mounted on 5cms dia castors.
- With One approx. 35cms S.S. Basin.
- Vertical S.S. tube made of 25mm x 18G.
- Basin holder SS tube made of 16mm x 18G
- Finish : Stainless Steel frame with Stainless Steel Basin.

Optional

- Also available in Epoxy Powder Coated frame (EI - 1610)

 MEDICINE TROLLEY
WITH 4 DRAWER

EI 1750
Description

- Overall Approx. Size: 64L x 41W x 76Hcms.
- Frame work of M.S. tubes mounted on 10cms castors
- Two M.S. shelves with three side railing on top shelf
- Two drawer under the each shelf
- Epoxy Powder Coated Finish

 UTILITY TROLLEY
(TWO SHELVES)

EI - 1755
Description

- M.S. Frame work
- S.S. Shelves
- One M.S. Drawer
- 10cms castors


EI - 1720 / 1728 (LED)
Description

Sizes:

- For one film
- For two film
- For three film
- For four film

Also available in LED

 SOILED LINEN TROLLEY
WITH CANVAS BAG

EI - 1695
Description

- Frame work of CRC tube mounted on 10cms castors
- Superior quality canvas bag
- Pre-treated and Epoxy powder coated finish

Also available in S.S. frame (EI - 1695)

 SOILED LINEN TROLLEY
WITH PLASTIC BUCKET

EI - 1698A
Description

- Push handle at one end
- Frame work of CRC tube on 10cms/15cms castors
- Superior quality plastic bucket
- Complete in S.S. Frame

Also available in M.S. frame (EI - 1698)


EI - 1700 / 1705 (SS)
Description

- Frame work of CRC tube mounted on 10cms/15cms castors
- Epoxy powder coated finish
- A - For D type cylinder
- B - For B type cylinder

O.T. MAYO'S TABLE



EI - 1787A

Description

- Overall Approx. Tray Size : 56L x 40Wcm.
- Adjustable height of tray Approx. 760 to 1150mm through gear handle
- Frame work made of 50 x 25mm rectangular S.S. tubes
- Tray made of 0.9mm thick S.S. 304 Grade sheet
- Table mounted on 50mm dia castors
- Finish : S.S. Frame with S.S. top

Also available in M.S. Frame (EI - 1787)

INSTRUMENT TROLLEY (TWO SHELVES)



EI - 1520A


 Castor Deluxe 3"

Description

- Frame work made of 1" x 18G vertical M.S. Tubes
- Two 22G S.S. Shelves with 3 sides railing
- The trolley mounted on 100mm dia castors
- Finish : S.S. Frame with S.S. Shelves
A- 30"x 18"x 32" / B- 36"x 24"x 32"

Also available in M.S. (EI - 1520)

O.T. MAYO'S INSTRUMENT TROLLEY WITH S.S. TRAY



EI - 1785A

Description

- Tray size S.S. : 56 L x 40 W cms.
- Rectangular S.S. tubes mounted on 5cms Castors height adjustable by side Knob
- S.S. Frame with S.S. top

Also available in M.S. Frame (EI - 1785)

DRESSING TROLLEY



EI - 1505A

Description

- Approx. Size : 30" x 18" x 32"
- Frame work made of S.S. tubes
- Two S.S. Shelves over with S.S. railings
- The trolley is fitted with S.S. bucket and S.S. bowl
- The trolley mounted on 100mm dia castors

Also available in M.S. Frame (EI - 1505)

PATIENT'S REVOLVING STOOL (SS TOP)



EI - 1648/1650/1653/1655

Description

- Four leg base fitted with PVC Stumps
- Height adjustment by machine screw from
- A foot rest ring support made of M.S. Tube
- S.S. top supported with M.S. sheet top
- Finish : Pre-treated and Epoxy Powder Coated

Also available in S.S. Frame work and S.S. Top

PATIENT'S STOOL



EI - 1657

Description

- Approx. Size 12"x 12"x 20"H
- Top made of CRCA Sheet double bent
- Legs made of 25mm x 18 G and Horizontal Support of 19mm x 18 G CRCA Tube fitted with PVC Stumps
- Finish : Pre treated and Epoxy Powder Coated

LAB TECHNICIAN STOOL



EI - 1660

Description

- Height adjustable
- cushioned seat
- 5 legs base on castors

LAPAROSCOPIC TROLLEY

EI - 2190

Description

- Overall Approx. Size: 800mm L x 600mm D x 1400 H
- Four shelves and one drawers
- Trolley having two handle
- The trolley mounted on 125mm dia castors -2 with brakes
- Switch & Socket for medical equipment
- Supplied with S.S. I.V. Rod and M.S. Oxygen Gas Cylinder Cage
- Finish : Pre-treated and Epoxy Powder Coated



AEROSOL DISINFECTOR

EI - 3080

 (A) 1.5 Litres
(B) 5.0 Litres


DOUBLE WALLED AUTOCLAVE S.S.

EI - 3625

 (A) 12"x 22"
(B) 14"x 25"
(C) 16"x 24"


MULTI - SEATED CHAIR CHROME

EI - 4750



CRASH CART

EI - 2175A

Description

- Overall Approx. Size : 960 x 500W x 1545H mm
- Frame work made of S.S. Tubes
- Two light weight polystyrene boxes each with three drawers
- Upper drawer with medicine container of different sizes
- Provision to hold oxygen cylinder made of M.S.
- Massage board for cardiac patient are provided
- Six Number colour hand out small bins at eye level
- Total three S.S. Shelves with railings to carry Medical Equipments
- Provided with S.S. I.V. Rod, Corner Buffers
- The Cart mounted on 125 mm dia castors 2 with brakes



Also available in M.S. Frame and laminated shelves (EI - 2175)

VERTICAL HIGH PRESSURE STEAM STERILIZER AUTOCLAVE

EI - 3700

Description

High pressure water steam electrically heated vertical sterilizer used for sterilizing of surgical instruments, Dressing materials, Linen, Rubber, Plastic material, Injection liquids by means of steam under pressure of 15 to 20 PSI. (Adjustable) Triple chamber with inner chamber and steam jacket made of thick stainless steel jacket made of thick stainless steel jacket. All sterilizers are hydraulically tested upto 2.5 times of working pressure. Outer chamber made of stainless steel sheet reinforced with M.S. sheet. Lid is made of thick stainless steel plate single piece and closed by wing nuts arrangement. Jointless neoprene gasket does not allow any leakage. Fitted with double safety valve, Water level indicator, water inlet and drain valves. Supplied complete with cord and plug but without dressing bins. To work on 220 volts, Single Ph. 50 Hz, AC supply.

Available in following sizes

| Dia | Depth | Element | Load | Total Load |
|---------|-------|---------|------|------------|
| (A) 300 | 500 | 2Nos. | 2Kw | 4Kw |
| (B) 400 | 600 | 2Nos. | 3Kw | 6Kw |

Optinal Accessories

- (1) Automatic low water level out of device
- (2) Pressure control switch
- (3) Dressing bins

AUTO CLAVE (PORTABLE) SINGLE/DOUBLE DRUM

EI - 3655



Description

Seamless construction made of aluminium alloy with turning on lid highly polished. It comes with one stop cock (continues bleeding valve), safety valve and pressure gauge.

- (A) 12"x 12" (B) 12"x 22"

LABOUR DELIVERY ROOM BED (ELECTRIC)

EI - 1470



Description

- Overall Size : 1880L x 660W x 600-800H mm.
- Tubular frame work mounted on 125mm dia control locking castors
- Three section top made of Bakelite Sheet covered with 3 section mattress
- Trendelenburg / Reverse Trendelenburg positions, height adjustment, Back section adjustment through electric actuator system
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic I.V. Rod
- Detachable S.S. Tray

LABOUR TABLE (3 SECTION)

EI - 1450

Description

- Approx. Dimension 72" L x 22" W x 30" H
- Rectangular & square tube frame work mounted on PVC stumps
- Three sections cushioned top
- Backrest, seat, leg section adjustable by hand lever
- Height adjustable a pair of Lithotomy rod
- Pre treated & Epoxy Powder Coated



OBSTETRIC DELIVERY TABLE

EI - 1455A

Description

- Overall Approx. Max. Size : 72" x 27" x 30".
- Frame work made of S.S. Tube.
- Legs fitted with PVC Stumps.
- 3 Section Top made of Bakelite Sheet.
- Back rest section adjustable by gas spring mechanism from back end
- Leg end section can slide under the main section.
- The entire table top gives trendelenburg positions by gas spring system from back end
- Drop down S.S. safety side railing are provided on 3 sides of the table.
- Height adjustable a pair of foam padded knee crutches.
- Patient hand grips made of S.S. Tubes.
- Supplied with waste collecting S.S. Bowl on S.S. bracket and one S.S. I.V. Rod.

Also available in M.S. Frame work. (EI - 1455)



EXAMINATION COUCH

EI - 1422



Description

- Overall Approx. Size : 1830L x 500W x 820H mm.
- Body frame work made of 18G CRCA Sheet
- Backrest adjustable on gas spring
- 3 Drawers, 3 Cabinets, 1 BP apparatus stand

OPTIONAL: S.S./M.S. Foot step.



EXAMINATION CUM GYNAE TABLE

EI - 1448



Description

- Overall Approx. Size : 1830L x 580W x 760H mm.
- Frame work made of M.S. CRC tubes
- Two section cushioned top
- Complete with the pair of S.S. lithotomy rod made
- 12 mm S.S. Rod
- Back rest adjustable by hand lever
- Epoxy powder coated finish

Also Available in S.S. (EI - 1448A)



EXAMINATION TABLE (2 SECTION)

EI - 1415



Description

- Approx. Dimensions: 72" L x 23" W x 32" H
- Frame work made of Rectangular & round M.S. CRC tubes
- Adjustable Back Rest by hand lever
- 2 Section Cushioned top
- Legs fitted on PVC stumps
- Pre -treated & Epoxy Powder Coated


 FOOT STEP
(SINGLE STEP)

EI - 1708



Description

- Overall Approx. Size : 460mm L x 305mm W x 230mm H
- Step made of CRCA Sheet fitted with Aluminium Tread flats by pop rivets
- Frame made of 1" x 18G CRCA Tube fitted with PVC Stumps
- Finish : Pre treated and Epoxy Powder Coated

Also available in complete S.S. (EI - 1708A)


 FOOT STEP
(DOUBLE STEP)

EI - 1710

Description

- Overall Approx. Step Size : 460mm L x 305mm W
- First step height 230mm and Second step size 450mm.
- Step made of CRCA Sheet fitted with Aluminium Tread flats by pop rivets
- Frame made of 1" x 18G CRC Tubes fitted with PVC Stumps
- Finish : Pre treated and Epoxy Powder Coated

Also available in complete S.S. (EI - 1710A)

EMERGENCY & RECOVERY TROLLEY
(HYDRAULIC)


EI - 1580


Description

- Two section top
- Height adjusted by foot operated imported hydraulic pump from 660 mm to 910mm.
- Gas spring assisted Trendelenburg/Reverse Trendelenburg positions
- Complete with corner buffers, synthetic rubber covered handles, sliding X-ray cassette, accessories tray, oxygen cylinder holder, SS telescopic IV rod and swing away SS side rails
- Finish : Pretreated and epoxy powder coated
- Four swivel castors, 5" dia, two with lock
- X-ray translucent removable stretcher, backrest raised on ratchet
- Overall approx size: 210L x 65W x 65-95H cms.

 STRETCHER ON TROLLEY DELUXE
WITH MATTRESS

EI - 1550

Description

- Overall Approx Size: 203L x 56W x 81H cms.
- Frame work made of Tubular M.S. Pipe with S.S. handle
- Swing away type Safety side railing
- Adjustable I.V. Road, Utility Tray, Cylinder Cage
- Foam padded top
- Trolley mount on 15cms Dia castors- Two with Brakes
- Finish: Pretreated & Epoxy Powder Coated



EI - 1552 (SS)

 STRETCHER ON TROLLEY
EI - 1565


EI - 7054

Castor PU 6"

EI - 1570 (SS)

Description

- Frame work made of 1.25" x 16G vertical and 1" x 18G horizontal CRC tubes.
- Trolley mounted on 15cms. dia castors, 2 with brakes.
- Removable stretchers top made of M.S. Sheet with S.S. handle.
- Overall size 203L x 56W x 81H cms.
- Finish : Pre-treated and Epoxy Powder coated.

Optional

- Mattress
- Side railings M.S./S.S.

 STRETCHER ON TROLLEY DELUXE
WITH MATTRESS

EI - 1550

Description

- Overall Approx Size: 203L x 56W x 81H cms.
- Frame work made of Tubular M.S. Pipe with S.S. handle
- Swing away type Safety side railing
- Adjustable I.V. Road, Utility Tray, Cylinder Cage
- Foam padded top
- Trolley mount on 15cms Dia castors- Two with Brakes
- Finish: Pretreated & Epoxy Powder Coated



AMBULANCE STRETCHER

EI - 1575

Description

- Light weight, strong structure, lovely design, good arts and crafts, easy antiseptis, small size, convenient to use
- Utilizes high precision mechanical transmission
- Can be used automatically folded through the left and right hand control handle.
- Made of high quality aluminium alloy tubes
- Dimensions: A - High Position: 1900 x 560 x 900mm
B - Low position: 1900 x 560 x 280mm
- Load weight: upto 120Kg.
- Product weight: 40Kg.
- Diameter of the castors: 125mm
- Applicable for various kind of hospitals, emergency centers, ambulances and battle fields


 Scoop Stretcher (MRI Compatible)
(Telescopic/Immobile)

EI - 1570B


Technical Parameter

| | |
|----------------------------|-------------------------|
| Product Size (L x W x H) : | 1620 x 445 x 70mm (max) |
| | 1200 x 445 x 70mm (max) |
| Net weight : | 7 kg |
| Gross Weight : | 8 kg |
| The bearing pressure | <159 kg |

FOLDING STRETCHER 2 FOLD

EI - 1568A


Description

- Aluminium folding lengthwise as well as width wise
- 2 Fold, provided with bag
- Unfolded size : 203L x 56W x 15H cms.
- Folded size: 110L x 18W x 11H cms.
- Load Bearing capacity 159Kgs.
- Gross wt. 6 Kg, Net wt. 5Kg.

Also available in M.S. CRC tubes (EI-1568)

BABY BASSINET

EI-1735

Description

- Preprep transparent Crib with mattress
- Trendlenburg / Rev. Trendlenburg by knob
- Laminated cupboard with plate form
- 5cms castors
- Pretreated & Epoxy powder coated



BABY CRADLE

EI 1733

Description

- Overall Approx. Size: 24" x 18" x 36"
- Stand frame work made of 25mm x 1.22mm M.S. tubular pipe
- Legs fitted with PVC Stumps
- Wire mesh hanging cradle made of 19mm x 1.22mm CRC Tube and wire mesh on 5mm thick
- Finish: Pre-treated and Epoxy Powder Coated


 BABY BASSINET
(WITH UTILITY BOX)

EI-1738

Description

- Preprep transparent Crib with mattress
- Trendlenburg / Rev. Trendlenburg by knob
- Laminated cupboard with plate form
- 5cms castors
- Pretreated & Epoxy powder coated




**SUCTION APPARATUS
(0.50H.P.)**
EI - 3810
Description

- Powder coated M.S. chassis
- Noise level of suction apparatus from is 50 dB +/- 03 dB
- Leakage current of suction units is less than 84 µA
- Electrical requirement 220 ~ 230V, 50Hz, 1Phase
- Ideal for MTP / medical / surgical procedures
- Rotary Vane Type Vacuum Pump with-740 +/-10mm Hg
- Free air displacement 40 ~ 60 ltrs / min
- Heavy duty HN-65 antistatic castors
- 320 Watt, 1440 RPM, 0.50 H.P. Electric Motor
- 100mm Vacuum Gauge
- Non collapsible Silicon tubing
- 2 x 2.0 Ltrs. Polycarbonate jars with over flow safety
- Bacterial filter fitted on top

LOTION BOWL (S.S.)
EI - 3030

URINAL POT (S.S.)
EI - 3250 Male/female

KIDNEY TRAY (S.S.)
EI - 3310

BED PAN (S.S.)
Male/female
EI - 3275

INSTRUMENT TRAY (S.S.)
EI - 3001

CATHETER TRAY (S.S.)
EI - 3020

**PEDAL SUCTION
APPARTUS**
EI - 3825
Description

- Pedal suction apparatus mainly used in hospitals of all levels for suctions of blood, phlegm ad other thick liquid.


ENEMA CANE (S.S.)
EI - 3039

**INSTRUMENT STERILIZER
ELECTRIC (S.S.)**
EI - 3560

**SEAMLESS
DRESSING DRUM (S.S.)**
EI - 3450

**CEILING O. T. LIGHT
WITH 7 REFLECTOR**
EI - 1210

**CEILING O. T. LIGHT
WITH 4 REFLECTOR**
EI - 1218
**O. T. LIGHT SINGLE REFLECTOR
FLOOR MODEL**
EI - 1238

**O. T. LIGHT FOUR REFLECTOR
FLOOR MODEL**
EI - 1242

**CEILING O. T. LIGHT
WITH SINGLE REFLECTOR**
EI - 1249


CEILING LED O. T. LIGHT WITH THREE REFLECTOR
EI - LED-C3

Technical Data

| | |
|------------------------|-------------|
| Intensity | 80,000 Lux |
| Size of light field | 12 - 30 cm |
| Colour Temp. | 4000-5000 K |
| Colour Reduction Index | 90 |
| LED Life | >35000 Hrs. |

LED O. T. LIGHT FLOOR MODEL
EI - LED-M3

EI - LED-M4

EI - LED-M1

CEILING LED O. T. LIGHT WITH FOUR REFLECTOR
EI - LED-C4

Technical Data

| | |
|------------------------|--------------|
| Intensity | 1,10,000 Lux |
| Size of light field | 12 - 30 cm |
| Colour Temp. | 4000-5000 K |
| Colour Reduction Index | 90 |
| LED Life | >35000 Hrs. |

EI - LED-C-4+4 (Adjustable Colour Temperature)

Technical Data

| | |
|------------------------|--------------|
| Intensity | 1,30,000 Lux |
| Size of light field | 12 - 30 cm |
| Colour Temp. | 4800 K |
| Colour Reduction Index | 90 |
| LED Life | >35000 Hrs. |

EI - LED-C-4+3 (Adjustable Colour Temperature)

Technical Data

| | |
|------------------------|--------------|
| Intensity | 1,30,000 Lux |
| Size of light field | 12 - 30 cm |
| Colour Temp. | 4800 K |
| Colour Reduction Index | 90 |
| LED Life | >35000 Hrs. |

ELECTRONIC O. T. TABLE (C - ARM COMPATIBLE)
EI - 1050



ELECTRIC C - ARM COMPATIBLE OPERATING TABLE
Standard Accessories



Lateral Tilt Left / Right

Mechanical Movements



Flex / Re-Flex



Kidney Bridge



Trendelenburg / Anti-Trendelenburg



Head section adjustment (Up/Down)

Tabletop elevation up/down



Leg section adjustment (Up/Down)

Imported Electric linear actuators facilitates the various adjustment of positions. Hi-Lo elevation makes it easier for C-Arm fluoroscopy examination. With built-in kidney bridge suits for kidney operation. Optional traction for orthopedics extend functions of the table. 304G Stainless Steel die pressed cover along with the main body for anti-rust and corrosion.

HYDRAULIC
OPERATION TABLE
EI - 1020



Salient Features

- Five section table top gives ease for various surgical Positions.
- Back section, Trendlenburg/RTB, Flex/Reflex, Kidney section operated through drive handle.
- Hi-Low Position is achieved by concealed hydraulic Pump.
- Base & column covered with 304G Stainless Steel Top to ensure high durability & hygiene for the operation room.
- Leg Section & Head Section Interchangeable.

HYDRAULIC O.T. TABLE (STANDARD)
EI - 1024



ORTHOPEDIC ATTACHMENT

EI - 1001



EXCEL Orthopedic Attachment is a flexible, easily operable instrument for ORTHOPEDIC SURGERY.

The attachment allows the positioning of the extremity as required in regard to the surgery practice and therefore is especially adapted to ensure safe and efficient.

Standard Accessories

- Orthopedic Section :1Pc.
- Pelvic Rest :1Pc.
- Pelvic Support (Radio Translucent) :1Pc.
- Inner thigh support (Radio Translucent) :1Pc.
- Foot Plate with Ortho shoes :1Pair
- Tibia Attachment :1Pc.
- Head Surgery table (Radio Translucent) :1Pc.
- Steinmen Pin Holding Clamp :1Pc.
- Leg holder (Goepel Type) :1Pair



Tibia & Fibula Position



Arthroscopic Position



Neck of Femur Position



Spinal Attachment (Optional)



Hand Surgery

Optional

- Spine Frame Attachment
- Hand traction Device